
- ► SKIRTINGS / WALL PROTECTION
- ► SEMI-RIGID PVC SKIRTINGS
- ► ROMUFLEX 60 MM REF. 2181

# **DATA SHEET**





### **DESCRIPTION**

Plinthe en PVC d'une hauteur de 60 mm avec lèvre d'étanchéité coextrudée, utilisation en intérieur.

Pour la finition entre un revêtement de mur et un revêtement de sol (épouse bien la forme du sol et du mur).

Plinthe décorative qui existe aussi en 80 et 100 mm.

Coloris: Gris moyen galet (12 autres couleurs disponibles en 60

mm)

Hauteur : 60 mm Épaisseur : 3,8 mm Longueur : 3 M

#### **USE**

Se pose en plinthe, utilisation en intérieur.

### **REFERENCE**

Ref : 218

PLINTHE PVC ROMUFLEX 60MM GRIS MOYEN GALET-3 M

## **MATERIAL**

Profilé en PVC co-extrudé.

PVC cellulaire semi-rigide teint dans la masse avec un effet décor par impression avec une lèvre d'étanchéité en PVC souple. Conformité REACH

### **FITTING MODE**

À coller sur une surface propre et dégraissée.

Coupez le profilé à la longueur souhaitée. Appliquez l'adhésif mastic colle POLYMER ou une colle sèche.

Mettre le profilé en place en faisant pression.

The information contained in this document is provided for information purposes. Romus cannot be held liable for this information. The user or specifier will check the compatibility of the product technical data with the actual situation. Romus reserves the right to modify all or part of this document without prior notice.

Architect:

Project : Email :

Tel:

Distributor: Tel: Email: