

ROMUS FINISHING PROFILES FOR LVT

gerflor.com



ROMUS[®]

Gerflor[®]
theflooringroup

FLAT COVERSTRIPS




LVT Gerflor

VIRTUO	CLASSIC 30	2mm
	CLASSIC 55	2.5mm
	LOCK	4mm
	CLIC 55	5mm
30	DRY BACK	2mm
	XPRESS	4mm
	LOCK	4mm
	CLIC	4mm
55	DRY BACK	2.5mm
	XPRESS	4mm
	CLIC	5mm
	CLIC	5mm
70	DRY BACK	2.5mm
	XPRESS	5mm
	CLIC	6mm
	CLIC	6mm
SAGA ²		4.6mm

FLAT COVERSTRIPS

40 mm

Extra flat: 2 mm



Supplied with screws and plugs

Drilled	0.90 m	2.70 m
Alu silver	1570	1572
Alu titanium	1571	1573



Self-adhesive	0.90 m	2.70 m
Alu silver	2570	2572
Alu titanium	2571	2573

LVT Gerflor

VIRTUO	LOCK	4mm
	CLIC 55	5mm
55	XPRESS	4mm
	CLIC	5mm
70	XPRESS	5mm
	CLIC	6mm
SAGA ²		4.6mm

«DESIGN CLIP» TRANSITION

4 - 7,5 mm



Supplied with screws and plugs



	Width 34 mm
	3.00 m
Alu silver	3355
Alu titanium	3356

REDUCERS

LVT Gerflor

VIRTUO	CLIC 55	5mm
	CLIC	5mm
55	CLIC	5mm
	CLIC	5mm
70	XPRESS	5mm
	CLIC	6mm
SAGA ²		4.6mm

5-7 mm REDUCER



Supplied with screws and plugs



Drilled	2.70 m
Alu silver	2690
Alu titanium	2691

LVT Gerflor

VIRTUO	LOCK	4mm
	CLIC 55	5mm
30	XPRESS	4mm
	LOCK	4mm
55	XPRESS	4mm
	CLIC	5mm
70	XPRESS	5mm
	CLIC	6mm
SAGA ²		4.6mm

«DESIGN CLIP» REDUCER

4 - 7,5 mm




Supplied with screws and plugs

	Width 38 mm
	3,00 m
Alu silver	3365
Alu titanium	3366

LVT Gerflor

55	DRY BACK	2.5mm
	CLIC	2.5mm
70	DRY BACK	2.5mm
	CLIC	2.5mm

3 mm REDUCER






Drilled	2.70 m
Alu silver	1931

MULTI-LEVEL COVERSTRIPS

MULTI-LEVEL 0 - 18 mm


LVT Gerflor

VIRTUO	CLASSIC 30	2mm
	CLASSIC 55	2.5mm
	LOCK	4mm
	CLIC 55	5mm
30	DRY BACK	2mm
	XPRESS	4mm
	LOCK	4mm
	CLIC	4mm
55	DRY BACK	2.5mm
	XPRESS	4mm
	CLIC	5mm
	CLIC	5mm
70	DRY BACK	2.5mm
	XPRESS	5mm
	CLIC	6mm
	CLIC	6mm
SAGA ²		4.6mm



Supplied with screws and plugs

Drilled	1 m	2.70 m
Alu silver	1940	1945
Alu titanium	1941	1946




Self-adhesive	1 m	2.70 m
Alu silver	2940	2945
Alu titanium	2939	2946

REDUCER 5,20 - 9 mm

LVT Gerflor

CREATION	70 CLIC	6mm
	GTI	6mm





Drilled	3.00 m
Alu silver	2630
Outer angle	2633
Inner angle	2632
50 philips screws 4mm x 50mm	94129

EDGE PROFILES

LVT Gerflor

VIRTUO	LOCK	4mm
	CLIC 55	5mm
	XPRESS	4mm
	LOCK	4mm
30	XPRESS	4mm
	CLIC	5mm
	CLIC	5mm
	CLIC	5mm
55	XPRESS	5mm
	CLIC	6mm
	CLIC	6mm
	CLIC	6mm
70	XPRESS	5mm
	CLIC	6mm
	CLIC	6mm
	CLIC	6mm
SAGA ²		4.6mm
GTI		6mm

«DESIGN CLIP» EDGE 4 - 7,5 mm




Supplied with screws and plugs

Length 2.70 m	
	20 mm
Alu silver	3371
Alu titanium	3373

LVT Gerflor

VIRTUO	CLASSIC 30	2mm
	CLASSIC 55	2.5mm
	LOCK	4mm
	CLIC 55	5mm
30	DRY BACK	2mm
	XPRESS	4mm
	LOCK	4mm
	CLIC	4mm
55	DRY BACK	2.5mm
	XPRESS	4mm
	CLIC	5mm
	CLIC	5mm
70	DRY BACK	2.5mm
	XPRESS	5mm
	CLIC	6mm
	CLIC	6mm

BENDABLE STRAIGHT 2 - 6 mm



Min. Radius 270 mm		
H	Mill alu	
	2.5 m	2.7 m
2 mm	3517	-
2.5 mm	3518	-
3 mm	-	3520
4.5 mm	-	3519
6 mm	-	3522

EDGE PROFILE

LVT Gerflor



V | VIRTUO

CLASSIC 30 2mm
CLASSIC 55 2.5mm
LOCK 4mm
CLIC 55 5mm

C REATION

30 DRY BACK 2mm
XPRESS 4mm
LOCK 4mm
55 DRY BACK 2.5mm
XPRESS 4mm
CLIC 5mm
70 DRY BACK 2.5mm
XPRESS 5mm

BENDABLE BEVELLED
2 - 5 mm



H	Min. Radius 200 mm
	2.50 m
2.5 mm	Alu silver 3540
5 mm	3542

LVT Gerflor



V | VIRTUO

CLASSIC 30 2mm
CLASSIC 55 2.5mm

C REATION

30 DRY BACK 2mm
55 DRY BACK 2.5mm
70 DRY BACK 2.5mm

EDGE BEVELLED
3 mm



Drilled	2.50 m
Alu silver	3541
Alu titanium	3544

LVT Gerflor

V | VIRTUO



LOCK 4mm
CLIC 55 5mm

C REATION

30 XPRESS 4mm
LOCK 4mm
55 XPRESS 4mm
CLIC 5mm
70 XPRESS 5mm

SAGA² 4.6mm

EDGE BEVELLED
5 mm



Drilled	2.50 m
Alu silver	3543
Alu titanium	3545

STAIR-NOSINGS FINISHING

LVT Gerflor


V | VIRTUO

CLASSIC 30 2mm
CLASSIC 55 2.5mm

C REATION

30 DRY BACK 2mm
55 DRY BACK 2.5mm
70 DRY BACK 2.5mm

DOUBLE EDGE
2.5 mm



Drilled	3.00 m
Alu silver	16113

STAIR-NOSINGS FINISHING

LVT Gerflor



VIRTUO

CLASSIC 30 2mm
CLASSIC 55 2.5mm

CREATION

30 DRY BACK 2mm
55 DRY BACK 2.5mm
70 DRY BACK 2.5mm

DOUBLE EDGE
3 mm



Drilled	2,50 m
Alu silver	1603

LVT Gerflor



VIRTUO

LOCK 4mm

CREATION

30 XPRESS LOCK 4mm
55 XPRESS 4mm

DOUBLE EDGE
4 mm



Drilled	3.00 m
Alu silver	1604

LVT Gerflor

VIRTUO




CLIC 55 5mm

CREATION

55 CLIC 5mm
70 XPRESS CLIC 5mm
6mm

GTI

DOUBLE EDGE
6 mm



Drilled	3.00 m
Alu silver	1606

LVT Gerflor

VIRTUO

LOCK CLIC 55 4mm
5mm


CREATION

30 XPRESS LOCK 4mm
55 XPRESS CLIC 4mm
70 XPRESS 5mm

SAGA²

4.6mm

DOUBLE EDGE
5 mm



Drilled	2,50 m
Alu silver	1605
Alu titanium	1615

ALU INSERT RISER
5 mm



Drilled	2.50 m
Alu silver	2260

LVT Gerflor

VIRTUO	LOCK CLIC 55	4mm 5mm
CREATION	30 XPRESS LOCK	4mm 4mm
	55 XPRESS CLIC	4mm 5mm
	70 XPRESS	5mm
SAGA ²		4.6mm

ALU INSERT SKIRTING

5 mm





Drilled	2.50 m
Alu silver	3543

Drilled	2.50 m
Alu silver	2260

LVT Gerflor

VIRTUO	CLASSIC 30	2mm
	CLASSIC 55	2.5mm
	LOCK CLIC 55	4mm 5mm
CREATION	30 DRY BACK XPRESS LOCK	2mm 4mm 4mm
	55 DRY BACK XPRESS CLIC	2.5mm 4mm 5mm
	70 DRY BACK XPRESS CLIC	2.5mm 5mm 6mm
SAGA ²		4.6mm
GTI		6mm

ROMUFLEX SEMI-RIGID PVC SKIRTINGS



ROMUFLEX 60 mm

Colours	3,00 m		
Ebony black - 01	2180	Grey Blue - 07	2362
Slate dark grey - 02	2186	Brown - 08	2363
Pebble light grey - 03	2181	Vanilla Beige - 09	2364
Sand beige - 04	2183	Mole - 10	2365
Snow white - 05	2185	Pink Beige - 11	2366
Cloud Light Grey - 06	2361	Alu silver - 12	2367
		Carbon - 13	2368



ROMUFLEX 80 mm

Colours	3,00 m
Ebony black - 01	2130
Slate dark grey - 02	2134
Pebble light grey - 03	2131
Sand beige - 04	2132
Snow white - 05	2133




ROMUFLEX 100 mm

Colours	Lunghezza 3,00 m
Ebony black - 01	2120
Slate dark grey - 02	2124
Pebble light grey - 03	2121
Sand beige - 04	2122
Snow white - 05	2123

LVT Gerflor

VIRTUO	CLASSIC 30	2mm
	CLASSIC 55	2.5mm
	LOCK CLIC 55	4mm 5mm
CREATION	30 DRY BACK XPRESS LOCK	2mm 4mm 4mm
	55 DRY BACK XPRESS CLIC	2.5mm 4mm 5mm
	70 DRY BACK XPRESS CLIC	2.5mm 5mm 6mm
SAGA ²		4.6mm
GTI		6mm

CUBU 12,6 mm



To be glued

Colours	Height	2.50 m
White	60 mm	2510
	80 mm	2515
	100 mm	2520

ALUMINIUM SKIRTING



V | VIRTUO

CLASSIC 30 2mm
CLASSIC 55 2.5mm
LOCK 4mm
CLIC 55 5mm

C | RÉATION



30 DRY BACK 2mm
XPRESS 4mm
LOCK 4mm

55 DRY BACK 2.5mm
XPRESS 4mm
CLIC 5mm

70 DRY BACK 2.5mm
XPRESS 5mm
CLIC 6mm

SAGA² 4.6mm

GTI 6mm



To be glued	2.70 m	
	H. 60 mm	H. 80 mm
Alu silver	2210	2220

Finishing accessories

N°	Alu silver	H. 60 mm	H. 80 mm
1	Left end	2211	2221
2	Right end	2212	2222
3	Inner angle	2214	2224
4	Outer angle	2215	2225
5	Joint	2213	2223



SPECIFIC TOOLS FOR THE INSTALLATION OF LVT

The Best Solutions for a Good Installation

«MH-330» guillotine

33 cm - ref. 93995

«MR-630» guillotine

63 cm - ref. 93425



«Straticut»

ref. 93725



Exakt «DC-

270» saw

ref. 93891



Clic pressure

roller

ref. 93159



Anti-bounce mallet

ref. 94964



Acrylic colored sealant



6 shades of grey

6 shades of taupe

6 shades of wood

Colored sealant chart

ref. 6886



Concave blades

ref. 92300



Orckal

ref. 91108



ROMUS Customer Service
13 - 15 rue du Taillefer
91160 Champlan
France

Tel: +33 169 79 39 51
+33 169 79 69 74
+33 169 79 32 07
e-mail: welcome@romusworld.com

gerflor.com

ARCHITECTURE
DECORATION
SPORT
TECHNOSPECIFIC

Gerflor. *Don't forget* our complementary ranges!



Flooring



Entrance mats



Skirlings & Profiles

and *Be* **CONNECTED!**



www.gerflor.com

Gerflor[®]
theflooringgroup