



*Stripper*

**DARK WARRIOR®**

*Powerful and efficient,  
even on  
heavy duty projects*



Tested and approved by  
floorcovering professional  
installers

**ROMUS®**

inventing your solutions

# Stripper DARK WARRIOR® - by Romus -

Reverse

Modern  
& design

Comfortable grip  
& Switch

Blades holder &  
adjustable cutting angle

Wheel drive

Straight or U blade  
Width till 350 mm

Weight 75 kg

Weight 110 kg

Weight 135 kg

Weight 160 kg

Total weight 180 kg

**ROMUS**®



Compliance machinery directives  
2006/42 / EC and EMC Directive  
2004/108 / EC Veritas control.

THE  
+

- Self-propelled
- Reverse
- Veritas safety field
- EC conformity
- Up to 150 m<sup>2</sup>/h
- Up to 24 m/ min
- Removable weights
- From 75 till 180 kg



Soft, carpet and PVC floorcovering



Rigid, tiles, linoleum floorcovering



Resin coating



Sport floorcovering



# Stripper

## DARK WARRIOR®

by Romus



**Ref. 94668**

### Technical data

Power	1100 W + 550 W
Voltage	220 V
Frequency	50 Hz
Nb of strokes/ blade mvnt	2700 /min
Speed	24 m /min
Total weight	180 kg
Weight	75 kg

### Output

Carpet	Up to 150 m <sup>2</sup> /h
Soft PVC	Up to 100 m <sup>2</sup> /h
Rigid PVC tiles	Up to 100 m <sup>2</sup> /h
Linoleum	Up to 100 m <sup>2</sup> /h
Studded rubber	Up to 70 m <sup>2</sup> /h
Sport floorcovering	Up to 70 m <sup>2</sup> /h
Resin	Up to 40 m <sup>2</sup> /h

**Straight blade 350 mm**  
thickness 2 mm  
Ref. 94678



**U blade 350 mm**  
thickness 2 mm  
Ref. 94669



**Straight blade 210 mm**  
thickness 1,8 mm  
Ref. 94541



**U blade 230 mm**  
thickness 2 mm  
Ref. 94543



**Supplied with**

**1 Mounting Key**

**Visitor safety glasses** EN166  
Ref. 94831



**Ear muffs**  
EN 352-1  
Ref. 94885



**Handling gloves**  
EN 388-3.1.2.2.



# ROMUS®

☎ : +33 1 69 79 69 77 - 📠 : +33 1 69 79 32 00 - [welcome@romus.fr](mailto:welcome@romus.fr)

SAS 1 045 200 €

Head office : 13-15 rue du Taillefer - 91160 CHAMPLAN - FRANCE

VAT n° FR 63 333 267 961 - SIREN 333 267 961 - RCS Évry

[www.romus-international.com](http://www.romus-international.com)